

HOOD TYPE & UNDERCOUNTER DISHWASHER

Hood-Type Dishwasher AM 650

Dim (mm) :
636x745x1445
Wash Capacity :
60 rack/hour
Wash Temperature :
65°C - 75°C
Tank Heating : 3.0 kW
Electrical :
380V/50hz/3ph



Undercounter Dishwasher F500T

Dim (mm) :594×602×796
Wash Capacity : 30 rack/hour
Wash Temperature : 65°C - 75°C
Tank Heating : 2.0 kW
Electrical :
220V/50hz(60)/1N



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
customer.service@rotaryana.com

f **Rotaryana Prima** @ **Rotaryana**
<http://www.rotaryana.com/>

HOBART

HOOD TYPE & UNDERCOUNTER DISHWASHER

5-Quart Mixer

N50

Dim (mm): 254x127x432
Capacity: 5 Quart Bowl
Power: 0.12 kW
Electrical: 230/50/10 A



Countertop Mixer

HL200

Dim (mm): 420x580x740
Capacity: 20 Quart Bowl
Power: 230/50/15 A



Edge Slicer 12

Dim (mm): 680x600x570
Power: 480 Watts
Blade Size: 304mm



Hood-type dishwasher

AM900

Rack size: 500 x 500 mm
Loading height 440 mm
Capacity: 23 L
Power: 16.3 kW



Dishwasher

Ecomax F504

Dim (mm): 576x604x820
Capacity: 25 L
Power: 5,9 kW



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
customer.service@rotaryana.com

f Rotaryana Prima @ Rotaryana
<http://www.rotaryana.com/>

HOBART

CONVEYOR DISHWASHER

Conveyor Dishwasher C44BP

Capacity: 203 Racks/h
Water Cons: 432L/h
Rinse Temp :82-90°C
Voltage:
380V/50Hz/3N
Power:
46kW (53.5kW)
Dim (mm):
1121×768×1782 mm



Conveyor Dishwasher CCA200

Capacity: 200/133 Racks/h
Water consumption: 1.6/2.4 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :45 kW (79.5 A)
Dim (mm): 1102×772×1474mm



Conveyor Dishwasher CCA200-D

Capacity: 200/133 Racks/h
Water consumption: 1.6/2.4 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :45 kW (79.5 A)
Dim (mm): 1102×772×1474mm



Conveyor Dishwasher CCEA260

Capacity: 260/173 Racks/h
Water consumption: 1.2/1.8 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :45 kW (79.5 A)
Dim (mm) : 1602×772×1474 mm



Conveyor Dishwasher CCEA260-D

Capacity: 260/173 Racks/h
Water consumption: 1.2/1.8 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :45 kW (79.5 A)
Dim (mm) : 1602×772×1474 mm



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
customer.service@rotaryana.com

 **Rotaryana Prima**  **Rotaryana**
<http://www.rotaryana.com/>

HOBART

CONVEYOR DISHWASHER

Conveyor Dishwasher CN200

Capacity: 200/133 Racks/h
Water consumption: 1.3/2 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :39.5 kW (69 A)
or Steam:3.5 kW (10 A)
Dim (mm) : 1352×772×1474 mm



Conveyor Dishwasher CN250

Capacity: 250/167 Racks/h
Water consumption: 1.0/1.6 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :39.5 kW (69 A)
or Steam:3.5 kW (10 A)
Dim (mm) : 1352×772×1474 mm



Conveyor Dishwasher CN250-D

Capacity: 250/167 Racks/h
Water consumption: 1.0/1.6 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :39.5 kW (69 A)
or Steam:3.5 kW (10 A)
Dim (mm) : 1352×772×1474 mm



Conveyor Dishwasher CN280

Capacity: 280/187 Racks/h
Water consumption: 1.0/1.4 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :40.5 kW (72.5 A)
or Steam:4 kW (13 A)
Dim (mm) : 1852×773×1474 mm



Conveyor Dishwasher CN280-D

Capacity: 280/187 Racks/h
Water consumption: 1.0/1.4 L/rack
Rinse temperature: 82-90°C
Voltage: 380V/50Hz/3N
Power :40.5 kW (72.5 A)
or Steam:4 kW (13 A)
Dim (mm) : 1852×773×1474 mm



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
customer.service@rotaryana.com

📍 **Rotaryana Prima** @ **Rotaryana**
<http://www.rotaryana.com/>

HOBART