

CRYSTAL ICE

Upright Display Refrigerator



Standard Construction

- PU insulation body for upright, undercounter or custom
- Air-cooled refrigeration system and is effectively operated in room temperature at 26°C, R.H<70%
- Humidity control (R.H: 60~70%) for preventing air entering into wine bottle due to dry cork
- Applying noiseless compressor and Non-CFC R134a / R290 refrigerant
- Predetermined operation temperature for storing different types of Red wine and White wine
- Door lock system for wine safety
- Self-evaporated design for condensation

Body

- Stainless Steel exterior, 3 sides glass panel or all sides glass panels
- Low-E glass or Ultra Clear Glass

Wine Rack

- Drawer / S-tilting / Horizontal
- Custom made solution per request

Options

- Different options for finishing including Colored S/S , No.4 Hairline Finishing, Mirror Finishing...etc
- Hidden / Visible Door Handle
- Dual Temperature for White / Red wine
- V-cut for all exposable edge
- Remote Compressor



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

📞 Rotaryana Prima 📱 Rotaryana
📺 Rotaryana Prima 📺 Rotaryana Prima



CRYSTAL ICE

Ice cream Display Case Auto Rotating Version -18 ~ -26°C RRD-150-S1

Dim (mm): 1500 x 1500 x 900

Capacity: 5 x 10 Trays

Cooling Rate (HP): 7/8

PS: 220V

Operation Temperature:
< 26°C, RH<70%





(Left): We offer drop-in / free standing options for matching different requirements.

(Right): A small basin is included for storage of ice cream scoop..



PT Rotaryana Prima

Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

 Rotaryana Prima  Rotaryana
 Rotaryana Prima  Rotaryana Prima



ENVIRONMENTAL STEAMER CABINET



Smart Steaming Concept 2 Decks ESC-2HJ

Dim (mm): 900 x 880 x 1765
No. of Shevling: 4
Pans Type & Qty: GN2/1 : 4
Gas (kW): 42
PS: 220V



Smart Steaming Concept 3 Decks ESC-3HJ

Dim (mm): 900 x 880 x 1900
No. of Shevling: 4
Pans Type & Qty: GN2/1 : 4
Gas (kW): 42
PS: 220V



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

Rotaryana Prima Rotaryana
Rotaryana Prima Rotaryana Prima



ENVIRONMENTAL DIMSUM STEAMER



Dimsum Steamer ESC-2HJ

Dim (mm): 900 x 1050 x 810+360
No. of Shevling: 1
Capacity: 70 bamboo baskets
Gas (kW): 42
PS: 220V



Optional accessories for including 7 hole plate w/ SS stand, full set dimsum tray, rice roll pan (single / double pan), specify when ordering.

Dimsum Steamer ESC-3HJ

Dim (mm): 1500 x 1050 x 810+360
No. of Shevling: 2
Capacity: per steam head
Gas (kW): 56
PS: 220V



Optional accessories for including 7 hole plate w/ SS stand, full set dimsum tray, rice roll pan (single / double pan), specify when ordering.



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

Rotaryana Prima Rotaryana
Rotaryana Prima Rotaryana Prima



CHINESE ROASTER



Duck Roaster Single Layer CDR-8DF / CDR-9DF

Dim (mm): Ø 810 x 1400
Capacity: 6 - 7
Gas (kW): 16
PS: 220V



All roaster comes with stone base (Left) for preventing burner clogging by grease. To enhance insulation effect, all double layer model comes with another mild steel layer (Right) to further boost up chamber temperature and sustain heat.

Pig Roaster Manual 1 Pig CPR-096WF

Dim (mm): 620 x 900 x 600
Gas (kW): 36
No. of Burner: 3
PS: 220V



Pig rotating automation is the best solution for substaining food quality and reduce man power. The fork can turn 360 degree and move up or down accordingly.



PT Rotaryana Prima

Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

Rotaryana Prima Rotaryana
Rotaryana Prima Rotaryana Prima





Round Grill Full Grill CGR-150R

Dim (mm): Ø 1500 x 900
Grilling Area (mm): Ø 900
Gas (kW): 38
Skewer (pcs): Optional
PS: 220V



S/S grill grating and fitted with bar burners at the bottom.

Round Grill 1/2 Grill + 1/2 Griddle CGG-150R

Dim (mm): Ø 1500 x 900
Grilling Area (mm): Ø 900
Gas (kW): 32
Skewer (pcs): 4
PS: 220V



S/S grill grating and fitted with bar burners at the bottom.

Tandoor Oven Barrel CTO-100BT

Dim (mm): Ø 1000 x 900
Internal Clay Size (mm): Ø 762
Gas (kW): 16
PS: 220V



All tandoor comes with S/S hook, spade and lid. Charcoal version is available upon request.



PT Rotaryana Prima
Teuku cik ditiro 16 Jakarta, 10350
call +6221.310.6767 fax +6221.310.2256
<http://www.rotaryana.com/>

Rotaryana Prima Rotaryana
Rotaryana Prima Rotaryana Prima

