

## Waterless Wok Burner NW-1B

Dim (mm): 600x845x740  
LPG B.T.U./h: 102000  
NG B.T.U./h: 102000  
Duckbill Burner  
Chimney Burner



## Waterless Wok Burner NW-2B

Dim (mm): 1200x845x740  
LPG B.T.U./h: 204000  
NG B.T.U./h: 204000  
Duckbill Burner  
Chimney Burner



**PT Rotaryana Prima**  
Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

f **Rotaryana Prima** @ **Rotaryana**  
<http://www.rotaryana.com/>



## Gas Chinese Wok Range Single Burner CW-110-11A

Dim (mm): 1100x1200x800+450  
Gas Source: LPG/NG  
Electrical: 220V/ 50Hz  
Burner Rating: 40kW/ Burner  
Rated Power: 0.25kw/ Blower

### PRODUCT FEATURES:

- Equipped with individual valve flame failure device and pilot burner to ensure easy and safe operation.
- Main flame will cut off in less than 30 seconds if pilot light goes off or when the pilot light encounters burning failure.
- Synchronized gas valve and air blower with accurate ratio to ensure optimal combustion efficiency.
- Individual air blower for powerful flame

### ENVIRONMENTAL FEATURES :

- Insulated tabletop for saving water consumption
- Low C O emission (<0.01%)



## Gas Chinese Wok Range Double Burner CW-215-22A

Dim (mm): 2150x1200x800+450  
Gas Source: LPG/NG  
Electrical: 220v/50Hz  
Burner Rating: 40kW/Burner  
Rated Power: 0.25kW/Blower

### PRODUCT FEATURES:

- Equipped with individual valve flame failure device and pilot burner to ensure easy and safe operation.
- Main flame will cut off in less than 30 seconds if pilot light goes off or when the pilot light encounters burning failure.
- Synchronized gas valve and air blower with accurate ratio to ensure optimal combustion efficiency.
- Individual air blower for powerful flame

### ENVIRONMENTAL FEATURES :

- Insulated tabletop for saving water consumption
- Low C O emission (<0.01%)



**PT Rotaryana Prima**  
Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

f **Rotaryana Prima** @ **Rotaryana**  
<http://www.rotaryana.com/>



# DIM SUM STEAMER & RICE ROLL STEAMER

## Dim Sum Steamer DSS-1B

Dim (mm): 750x910x800  
LPG B.T.U./h: 131000  
NG B.T.U./h: 131000



## Rice Roll Steamer DRRS-A

Dim (mm): 1200x1200x800+450  
Gas Source: LPG/NG  
Burner Rating: 40kW (138000BTU)



**PT Rotaryana Prima**  
Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

f **Rotaryana Prima** @ **Rotaryana**  
<http://www.rotaryana.com/>



## Gas Noodle Cooker NWPC40

Dim (mm): 400x800x910  
LPG B.T.U./h: 62000  
NG B.T.U./h: 62000



## Gas Noodle Cooker With Autolifting NWPC40-A

Dim (mm): 550x800x910  
LPG B.T.U./h: 62000  
NG B.T.U./h: 62000  
Electrical: 220V/1ph/50hz



## Half-size Gas Noodle Cooker With Autolifting NWPC20-A

Dim (mm): 300x800x910  
LPG B.T.U./h: 31000  
NG B.T.U./h: 31000  
Electrical: 220V/50hz/1ph  
Burner Rating: 9 kW/ Burner



**PT Rotaryana Prima**  
Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

f **Rotaryana Prima** @ **Rotaryana**  
<http://www.rotaryana.com/>



# DECK STEAMER CABINET & ROASTER

## Three Deck Steam Cabinet 800 Style SCH-800-A

Dim (mm): 800x950x1900  
Gas Source: LPG/NG  
Burner Rating: 40kW  
Electrical: 220V



## Three Deck Steam Cabinet 900 Style SCH-900-A

Dim (mm): 900x950x1900  
Gas Source: LPG/NG  
Electrical: 220V  
Burner Rating: 40kW



## Gas Single Layer Duck Roaster DRO-1

Dim (mm): (Ø 915 X 1475)  
Gas Source: LPG/NG  
Capacity: 8 - 9 L  
Burner Rating: 12kW



## Gas Pig Roaster GPR

Dim (mm): 650x1100x600  
Gas Source: LPG/NG  
Burner Rating: 36kW



**PT Rotaryana Prima**  
Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

Rotaryana Prima @ Rotaryana  
<http://www.rotaryana.com/>



# SINGLE STEAMER

## Kettle-Type Single Steamer GS-K1-A

Dim (mm): 1000x1200x800+450

Gas Source: LPG/NG

Burner rating: 40kW



## Kettle-Type Single Steamer GS-K2-A

Dim (mm): 1800x1200x800+450

Gas Source: LPG/NG

Burner rating: 40kW



**PT Rotaryana Prima**

Teuku cik ditiro 16 Jakarta, 10350  
call +6221.310.6767 fax +6221.310.2256  
customer.service@rotaryana.com

 **Rotaryana Prima**  **Rotaryana**  
<http://www.rotaryana.com/>

